

Power Control Module 97-04 Corvette

Installation Instructions



1997-2004 Corvette Installation Procedures

1. Disconnect negative battery cable (see Fig. 1).



Figure 1

2. Using floor jack or lift, raise passenger front side of vehicle. Use extreme caution, only jack using factory recommendations and using factory jack points (see Fig. 2). If you have any questions, please consult your owners manual for correct jacking procedure. MAKE SURE VEHICLE IS PROPERLY SECURED WITH JACK STANDS BEFORE PROCEEDING ANY FURTHER.




Figure 2

3. Remove ECU protective shroud (large plastic piece covering computer located inside passenger fenderwell) you must remove panel screw from the passenger wheel well (see Fig. 3). Now remove 2 screws on lower quarter panel, note one is located on the underside (see Fig. 4).



Figure 4



Figure 3

4. Remove the BLUE (97-99 & 03-04) or the RED (99-02) factory harness located nearest the fender of the vehicle, turn the connector bolt (9/32) counter clockwise to slowly draw the harness away from the computer (see Fig. 5).



Fig. 5

5. Install the JET extender bolt into the ECM (computer). Tighten the extender bolt all the way down until it bottoms out.

6. Install JET PCM into the factory computer (see Fig. 7).




Fig. 7



Fig. 8

7. Install factory harness onto the JET PCM (see Fig. 8).

8. Tighten connector bolt (9/32) on factory harness to draw the harness, JET PCM, and computer together nice and snug. (see Fig. 9).



Fig. 9

9. To reinstall the ECU protective cover you will need to remove the factory wiring harness plastic cover, push the clips in and remove it to expose the wires. This is for clearance reasons and has no effect on the wiring (see Fig. 10).



Fig. 10



Fig. 1

- Remove jack stands and carefully lower vehicle. Follow proper lifting and lowering procedure.
- 11. Reconnect negative battery cable (see Fig. 1).

12. Start vehicle and verify no dash warning lights are on.



WHAT TO DO <u>BEFORE</u> TAKING YOUR VEHICLE IN FOR SERVICE

If a problem occurs that may require you to take your vehicle to a mechanic or dealership for service, first remove the JET Performance Chip or Module and reinstall back to stock. If the problem disappears when you remove the JET Performance Product, call JET and we will troubleshoot the product. However, if returning to stock does not cure your problem, there is nothing wrong with your JET Performance Product and you will need to have your vehicle serviced.

Anytime a diagnostic machine is to be used, the vehicle must be back to stock. Diagnostic machines expect to find the original stock program and often cannot correctly analyze the problem if other devices are installed. Failure to reinstall your system back to stock can result in unnecessary and costly repairs not covered by JET. Before you have any work done on the vehicle that you feel may have been related to the JET Performance Chip or Module, please call JET at 714-848-5515.

Limited Warranty

JET Performance Products warrants Chips and Modules to be free from defects in material and workmanship under normal use and if properly installed for a period of 2 years. This warranty is to the original purchaser for as long as he or she owns the vehicle on which the product was originally installed, provided all information requested is furnished. If found to be defective as mentioned above, it will be replaced or repaired at the sole discretion of JET if returned prepaid along with proof of date of purchase.

All other products and services performed by JET are warranted in defects in material and workmanship for a period of 6 months from date of purchase. This warranty is to the original purchaser for as long as he or she owns the vehicle on which the product was originally installed. Repair, Replacement, or Credit will be based on the date of purchase. Costs for labor are specifically excluded and are the sole responsibility of the purchaser.

This warranty does not apply to Custom Programming or any product incorrectly installed, modified by the purchaser, or to any product that has been subjected to misuse, negligence or accident.

To obtain warranty service and Return Authorization Number, contact our Customer Service Department at 714-848-5515 between 8 am and 5 P.M. Pacific Standard Time, Monday through Friday.

Defective Products may be brought or sent prepaid (with Return Number) to JET Performance Products, 17491 Apex Circle, Huntington Beach, CA 92647.

For Warranty Registration go to www.jetchip.com/register.asp

For information regarding warranty claim problems, see www.sema.com

Place this booklet in the glove box along with the vehicle registration and/or warranty The information shown below is provided for future reference

Jet Powertech Performance Product

The product for which this document was issued is emission-sensitive and is subject to certain federal and state regulations; the manufacturer has assigned an identification color code designating its intended use.

The designation is:



COLOR CODE GREEN

The product accompanying this document has been guaranteed a California Air Resources Board (ARB) exemption, an "EO" number, or is a direct or consolidated replacement part. It is 50-state legal, per the manufacturer's application guide.