

# INSTALLATION INSTRUCTIONS FOR DODGE/JEEP MODULE

## ENGINEERED FOR POWER

TECHNICAL ASSISTANCE: (714) 848-5515 Jet Performance Products

17491 Apex Circle Huntington Beach, CA 92647 Phone: (714) 848-5515 • Fax: (714) 847-6290 www.JetChip.com

### Information about your...



The Jet Performance Module is designed to enhance the performance and drivability of your vehicle. By optimizing the air/fuel ratio, ignition advance and various other parameters. The Jet Module retunes your engine for maximum performance.

#### JET STAGE 1 MODULE:

The Jet Stage 1 Module is optimized for stock vehicles. Minor bolt on modifications such as free flow air filters and cat back exhaust systems will work with the stage 1 tuning. Premium fuel is recommended for best performance gains, but for normal light driving, lowgrade or midgrade fuels may be used.

#### JET STAGE 2 MODULE:

The Jet Stage 2 Module is optimized for modified vehicles. The stage 2 requires premium fuel and the use of a Jet 180 degree thermostat. We also recommend a cat back exhaust system. The stage 2 will work well with headers, free flow air intake systems and filters.

## INSTALLATION PROCEDURES

- 1. Disconnect negative battery cable.
- 2. Locate the stock ECM (See chart below).

ECM LOCATION CHART	
2003-2012 DODGE RAM	#2
2003-2010 DAKOTA/RAIDER	#1
2003-2010 DURANGO/ASPEN	#1
2003-2010 JEEP ALL (EXCEPT BELOW) #1	
2003-06 JEEP WRANGLER	#1
2007-2010 DODGE NITRO	#1
2007-2010 JEEP WRANGLER	#3
<ul> <li>#1 = Passenger side inner fender, under hood</li> <li>#2 = Under hood on passenger side of firewall</li> <li>#3 = Drivers side inner fender, under hood</li> </ul>	

- 3. Remove the 4 color coded harness from ECM. (See photo 1)
- 4. Remove ECM from vehicle.
- 5. Install JET module onto ECM, connector color is Orange. (See photo 2)
- 6. Reinstall ECM into vehicle.
- 7. Reinstall the 4 stock connectors to the ECM.
- 8. Reinstall the negative battery cable.
- Start the vehicle. Verify the "Service Engine Soon light" <u>is not on</u>.

10. In the event of a problem, contact JET Performance Technical Support at 714-848-5515



#### Photo 1



#### Photo 2

## TROUBLESHOOTING GUIDE...

Most computer or module problems are due to poor electrical contacts. If you have a problem, try the following:

- 1. Disconnect the negative battery cable, unplug the factory harness and the Jet Module.
- Inspect both the factory parts and Jet Module for any bent or broken pins, dirt or contamination. Fix any minor problems you find.
- 3. Reinstall the module, harness, battery cable and recheck for the service engine light or any drivability problems.

#### 4. If the problem still exists ... Contact the Jet Technical Department at (714) 848-5515

If these fail to correct your problem - - -DO NOT CONTACT THE DISTRIBUTOR YOU PURCHASED IT FROM OR GO BACK TO THE CAR/TRUCK DEALER - CALL THE JET TECH LINE AT (714) 848-5515.

#### WHAT TO DO <u>BEFORE</u> TAKING YOUR VEHICLE IN FOR SERVICE

If a problem occurs that may require you to take your vehicle to a mechanic or dealership for service, first remove the JET Performance Chip or Module and reinstall back to stock. If the problem disappears when you remove the JET Performance Product, call JET and we will troubleshoot the product. However, if returning to stock does **not** cure your problem, there is nothing wrong with your JET Performance Product and you will need to have your vehicle serviced.

products

Anytime a diagnostic machine is to be used, the vehicle must be back to stock. Diagnostic machines expect to find the original stock program and often cannot correctly analyze the problem if other devices are installed. Failure to reinstall your system back to stock can result in unnecessary and costly repairs not covered by JET. Before you have any work done on the vehicle that you feel may have been related to the JET Performance Chip or Module, please call JET at 714-848-5515.

#### Limited Warranty

JET Performance Products warrants Chips and Modules to be free from defects in material and workmanship under normal use and if properly installed. This limited 2 year warranty is to the original purchaser. If found to be defective as mentioned above, it will be replaced or repaired at the sole discretion of JET if returned prepaid along with proof of date of purchase.

All other products and services performed by JET are warranted in defects in material and workmanship for a period of 6 months from date of purchase. This warranty is to the original purchaser for as long as he or she owns the vehicle on which the product was originally installed. Repair, Replacement, or Credit will be based on the date of purchase. Costs for labor are specifically excluded and are the sole responsibility of the purchaser.

This warranty does not apply to Custom Programming or any product incorrectly installed, modified by the purchaser, or to any product that has been subjected to misuse, negligence or accident.

To obtain warranty service and Return Authorization Number, contact our Customer Service Department at 714-848-5515 between 8 am and 5 pm Pacific Standard Time, Monday through Friday

Defective Products may be brought or sent prepaid (with Return Number) to JET Performance Products, 17491 Apex Circle, Huntington Beach, CA 92647. For Warranty Registration go to www.jetchip.com/register.asp